Minister's Specification

SA 76D

Swimming Pool Safety—new prescribed requirements for upgrading prescribed swimming pools

May 2014



Published by: Building Policy Unit, Planning Division Department of Planning, Transport and Infrastructure

Development Act 1993

Minister's Specification SA 76D May 2014

Swimming Pool Safety

SCOPE

This Minister's Specification relates to any *prescribed swimming pool*, as defined in section 71AA of the Development Act 1993.

This Minister's Specification must be read in conjunction with section 71AA of the Development Act 1993 and regulation 76D of the Development Regulations 2008.

INTERPRETATION

child-resistant doorset has the same meaning as the definition in AS 1926.1.

new prescribed requirements has the same meaning as the definition in section 71AA of the Development Act 1993.

prescribed swimming pool has the same meaning as the definition in section 71AA of the Development Act 1993.

swimming pool has the same meaning as the definition in section 71AA of the Development Act 1993.

REFERENCED STANDARDS

Table 1: Schedule of Referenced Standards

No.	Date	Title
AS 1926		Swimming pool safety
Part 1	2012	Safety barriers for swimming pools
Part 2	2007	Location of safety barriers for swimming pools Amdt 1 Amdt 2

1.0 Application

This Minister's Specification sets out the *new prescribed requirements* for the purpose of regulation 76D(1)(a) of the Development Regulations 2008.

2.0 New prescribed requirements

- (a) Subject to (b), a *prescribed swimming pool* complies with the *new prescribed requirements* if it has safety barriers installed in accordance with AS 1926 Parts 1 and 2.
- (b) A *child-resistant doorset* must not be used in a barrier for an outdoor *swimming pool*, except in situations specified in **3.0**.

3.0 Situations where a child-resistant doorset can form part of a barrier for an outdoor swimming pool

3.1 In-ground swimming pools

A *child-resistant doorset* can only be used to form part of a barrier for an outdoor *swimming pool* if the distance from the nearest part of the *swimming pool* to the door is less than 1.8 metres (Figure 1).




Figure 1 In-ground swimming pools (including spa pools)

Minister's Specification SA 76D May 2014

Swimming Pool Safety

3.2 Aboveground swimming pools

A *child-resistant doorset* can only be used to form part of a barrier for an outdoor *swimming pool* if the distance from the nearest part of the *swimming pool* to the door, after the *swimming pool* has been re-positioned as far as possible away from the door, is less than 1.8 metres (Figure 2).




Figure 2 Aboveground swimming pools (including spa pools)